

2002Z 20 MAR 59

S E C R E T

*ops*  
*cc*  
*na*  
*us*  
*mat*  
*Contr*  
*thin*  
*xl*

**PRIORITY**

25X1A DIRECTOR

[REDACTED]

DPD (1-2-3-4-5-6-7-8)

S/C (9)

FQ

25X1A TOR: 0009Z 23 MAR 59

[REDACTED]

[REDACTED]

PRIORITY

*06273*  
*0407*

25X1A

25X1A

25X1A REF A. [REDACTED] 6795 (OUT-91539)

B. [REDACTED] 6823 (OUT-91577)

25X1A DUE TO URGENCY IMPLIED IN CONVERSATION BETWEEN [REDACTED]

25X1A

[REDACTED] PROCEEDING ON FOLLOWING

PROGRAM FOR MAP CASE EMERGENCY OXYGEN SYSTEMS FOR [REDACTED] AND REQUESTS HEADQUARTERS' APPROVAL.

25X1A

A. ASSEMBLING 5 EACH SYSTEMS OF LATEST VERSION COMPLETE IN MAP CASE AND WITH TEE BLOCK SELECTOR VALVE. IDENTITY OF Q289 ASSIGNED TO THESE SYSTEMS.

25X1A B. WILL SHIP THRU [REDACTED] ON OR BEFORE 10 APRIL 59.

25X1A

C. COST ESTIMATED AT \$930 PER SYSTEM DUE TO NONAVAILABILITY OF MAJOR COMPONENTS AS GFE. COSTS CAN BE CHARGED TO SP-1917 WITHIN EXISTING FUNDING.

D. NOTE THAT 75 PERCENT OF THIS COST IS IN REGULATOR, REDUCER AND BOTTLE WHICH MAY BE RETURNED TO SPARES WHEN Q289 REPLACED BY DUAL PACK.

S E C R E T

THIS DOCUMENT IS UNCLASSIFIED EXCEPT WHERE SHOWN OTHERWISE

25X1A

S E C R E T







(IN-06273)

PAGE TWO

25X1A


25X1A

25X1A

E. UPON RECEIPT OF 5 EACH Q289'S IMPERATIVE  RETURN  
EXISTING 3 PARTIAL KITS TO  VIA  FOR SALVAGE OF  
COMPONENTS AND RETURN TO  AS SPARES.

25X1A

25X1A

F. SUGGEST  ISSUE PURCHASE REQUEST FOR 5 EACH Q289  
MAP CASE EMERGENCY OXYGEN SYSTEMS.

END OF MESSAGE

S E C R E T